ENERGY STAR® QUALIFIED NEW HOME - MINNESOTA
2012 REBATE CLAIM FORM

PRINT FORM

RESET FORM

INSTRUCTIONS: Fill out form completely and sign. Attach supporting documentation: receipts, ENERGY STAR® checklists and HERS documents. Failure to complete the form and provide documentation could result in claim being sent back or denied.

Alliant Energy is the trade name of Interstate Power and Light Company (IPL). The utility providing the rebates is Interstate Power and Light Company (IPL), an Alliant Energy company, hereinafter referred to as Alliant Energy.

Questions about the forms or need assistance with the forms? Call our Energy Efficiency Hotline at 1-866-ALLIANT (1-866-255-4268).

CUSTOMER INFORMATION

Person or Company Receiving Rebate			Mailing Address *(if different than installation address)*		
Installation Address			City	State	Zip
City	State	Zip	Primary Contact Person for Claims Questions		
Alliant Energy Account No. at Installation Address *(if available)* ___ – ___ – ___ – ___ – ___			Email address		
Residential Building Type ❒ Single-Family ❒ Duplex			Year House/Facility Built *(required)*	Phone No. ( )	

Tax Status ❒ Residential ❒ **Sole-Proprietor*** ❒ **Partnership*** ❒ Government ❒ Non-Profit ❒ Corporation ❒ Religious

***If sole-proprietor or partnership, you must provide a copy of your W-9 showing the Social Security or Federal Tax ID number and the associated legal name listed on the document. To comply with IRS regulations, you must provide a copy of your W-9 each time you submit a claim.**

CONSTRUCTION INFORMATION

Construction Start Date (copy of the building permit must be attached to this rebate submission)	Construction Completion Date	Square Footage (Conditioned Space)

PRORATED REBATE AMOUNT

SQ. FOOTAGE	HEATING & COOLING	HEATING	COOLING	GEOTHERMAL
1,800+	$3,500	$2,450	$1,050	$1,500
1,799 - 1,200	$3,150	$2,205	$ 945	$1,350
1,199 - 700	$2,800	$1,960	$ 840	$1,200

REQUIRED ENERGY STAR SUPPORTING DOCUMENTATION

Home Energy Rating Certificate	❒ Attached	Thermal Enclosure Checklist	❒ Attached
Fuel Summary - HERS Report	❒ Attached	HVAC System Quality Inspection Contractor Checklist	❒ Attached
Water Management Checklist	❒ Attached	HVAC System Quality Inspection Rater Checklist	❒ Attached

GEOTHERMAL INFORMATION *(systems ≤ 15 ton total size)*

(Water-to-water units MUST provide heating and cooling.)

(Applicable geothermal systems MUST be claimed on this claim form.)

(To qualify for a rebate, equipment MUST be listed in AHRI Directory.)

Date Installed	❒ Single Speed ❒ Variable Speed		Water-to-Water Unit? ❒ Yes ❒ No	Manufacturer	
Model No.	❒ Open Loop (GWHP) ❒ Closed Loop (GLHP)		Ground Loop ❒ New ❒ Existing	Serial No.	
Total Cooling Btuh (maximum 180,000)				Total Heating Btuh	
Partial Cooling Btuh (if two speed)				Partial Heating Btuh (if two speed)	
Heating COP		Cooling EER		Equipment Cost $	Desuperheater ($100 per unit) ❒ Yes ❒ No
Quantity		AHRI No.		Total Rebate (see rebate table below) $	

Additional information continued →

Go to Page 2

REBATE TOTALS		PAID TO:		
Base Rebate	**$**	❒ Homeowner	or	❒ Builder
Geothermal Rebate	**$**	❒ Homeowner	or	❒ Builder
TOTAL REBATE	**$**	❒ Homeowner	or	❒ Builder

Water-to-Air Rebate Table

Qualifications:

All units must equal or exceed efficiency rating of 14.1 EER and COP 3.3 (closed loop) or 16.2 EER and COP 3.6 (open loop). **Rebate payment will be based on AHRI directory-verified efficiency.** Maximum of 15 tons total system size. Larger units please call 1-866-255-4268 for more information.

Step 1 . Cooling Btuh/12,000 = _____ tons x $300* = $ _____

Step 2 . Closed loop rebate [(EER - 14.1) x $50 x tons] = + $ _____

or

Open loop rebate [(EER - 16.2) x $50 x tons] = + $ _____

Step 3. Add $100 if desuperheater installed = + $ _____

TOTAL REBATE = $ _____

Water to Water Rebate Table

Qualifications:

All units must equal or exceed efficiency rating of 14.1 EER and COP 3.1 (closed loop). **Rebate payment will be based on AHRI directory-verified efficiency.** Maximum of 15 tons total system size. Larger units please call 1-866-255-4268 for more information.

Step 1 . Cooling Btuh/12,000 = _____ tons x $300* = $ _____

Step 2 . Closed loop rebate [(EER - 14.1) x $50 x tons] = + $ _____

Step 3. Add $100 if desuperheater installed = + $ _____

TOTAL REBATE = $ _____

*Not available for existing ground loop.

SPECIFIC TERMS AND CONDITIONS

A. If the builder or the homeowner is to receive the entire rebate amount, their information should be listed as the Person or Company Receiving Rebate. If the builder is an Energy Efficiency Dealer the mailing address for the rebate must match their Energy Efficiency Dealer address.
B. Rebates and/or bonus options may be designated to both a homeowner and a builder if, the builder is an Energy Efficiency Dealer. If both parties are to be paid portions on the rebate, then the homeowner should be listed as the Person or Company Receiving Rebate and the Builder's information should be entered on the Builder Release along with their Dealer ID number. The rebates going to the homeowner and the builder should be indicated accordingly.
C. The home's square footage should not include the basement unless the basement is finished space.
D. Participants must be residential (single-family or duplex) customers of Alliant Energy in Minnesota.
E. A federal tax ID number or social security number is required for processing any rebate, except if the tax status of recipient is residential. Under Builder Release, a federal tax ID number or social security number is required for processing any rebate unless the builder is already an Alliant Energy Energy Efficiency Dealer and has supplied their Dealer ID.
F. New home equipment eligible for the New Home Construction rebate must be installed, reported on the New Home Construction rebate claim form and submitted one time only. Alliant Energy will not pay rebates for new home equipment submitted on other Alliant Energy rebate claim forms.
G. All manufacturer, model number and serial number fields must be completed for Alliant Energy to approve the rebate.
H. Alliant Energy will pay for a maximum of one heating and/or cooling unit under the New Home Construction program. If multiple heating and/or cooling units are installed, Alliant Energy will pay for the first qualifying unit under the New Home Construction program and any additional qualifying units under the respective prescriptive program.
I. Builder must provide certification from a RESNET-certified HERS rater showing the home meets or exceeds ENERGY STAR standards. Builder and/or customer is responsible for the cost of the HERS rating.
J. This program is effective January 1, 2012 through December 31, 2012 for any homes started during this time period.
K. Rebate claim forms must be submitted within 90 days of home's completion date.
L. All buildings must be completed within 3 years to be eligible for a rebate. The rebate is paid per the program requirements and rebate rates available when construction is started.

Go to Page 3

REMEMBER TO SIGN THE NEXT PAGE

Additional information continued →

GENERAL TERMS AND CONDITIONS

IMPORTANT: Before completing and signing the form, please read the General Terms and Conditions located in the Rebate booklets, or at ***alliantenergy.com/terms***.

RISK OF LOSS, INDEMNITY AND DISCLAIMER

WHEREAS, while Alliant Energy may have entered into a Dealer Participation Agreement with Dealer on the reverse side of this document, any transaction for the purchase and/or installation of equipment pursuant to this Rebate Claim is between the Participating Dealer and the Customer identified on the reverse side of this document. As a signatory to this document, you understand that Alliant Energy is not a party to such transaction and neither the Participating Dealer nor the Customer shall have any recourse to Alliant Energy related to such transaction.

NOW, THEREFORE, for good and valuable consideration, which is hereby acknowledged, by your signature you agree as follows:

1. **RISK OF LOSS; INDEMNITY.** Customer and Dealer hereby agree to assume all risk of loss associated with the equipment and to defend, indemnify and hold harmless Alliant Energy, its agents, officers, directors, employees and assigns, and to release same from any and all liabilities, claims, demands, actions and causes of action whatsoever arising out of or related to any loss, damage or injury, including death, injury to persons or property, that may be sustained by Customer, Dealer or a third party in connection with the installation, use or possession of the equipment or performance of the services, or relating in any way to the Dealer Participation Agreement or any Rebate Claim.

2. **DISCLAIMER.** Customer acknowledges, warrants and agrees that the services, materials and equipment have been provided by a third party, are suitable for its purposes and meet the criteria for a Rebate hereunder. Any warranty on the equipment or services shall be provided through the equipment manufacturer or supplier or service provider. *Customer specifically acknowledges that Alliant Energy makes no representations or warranties of any kind, express or implied, as to the merchantability, fitness for a particular purpose, design or condition of the equipment or services.* The sum total liability of Alliant Energy to Customer and Dealer with respect to any claim or liability arising out of or related to this Rebate Claim, whether in contract, tort (including negligence), or other legal theory shall not exceed the amount of the Rebate. Alliant Energy shall not in any event be liable for special, indirect, incidental or consequential damages, including but not limited to, loss of profits or revenue, loss of use of site systems or property, lack of savings, cost of capital, or claims by Customer or Dealer for damage to property or injury to persons including any third party.

3. Customer and Dealer further acknowledge that Alliant Energy will not provide insurance coverage for the Customer or Dealer, and that it is the Customer and Dealer's responsibility to procure insurance coverage against any hazards relating to the equipment to protect persons and property.

CUSTOMER SIGNATURE AND CERTIFICATION

I certify that I have purchased the equipment described in this form and that it has been installed at the service address indicated. I agree to the terms and conditions associated with this form.

Customer Signature	Date	Do you want to help local families in need and donate your rebate to Alliant Energy's *Hometown Care Energy Fund?* ❒ Yes ❒ No

BUILDER INFORMATION

Builder Name	Dealer ID (if applicable)	Phone No. ( )	
Address	City	State	ZIP

I certify that all equipment and installation information provided on this application is correct and accurate.

Builder Signature: _____ Date: _____

Before you turn in your form:

- ❒ Fill out the form completely.
- ❒ Attach a copy of the sales receipt or invoice. Circle the energy-efficient equipment on the receipt.
- ❒ Include documentation listed in the instructions.
- ❒ Sign the customer Signature and Certification section. If a dealer installed the equipment, the dealer must sign the Dealer, Contractor or Store section.
- ❒ We recommend that you mail the completed form(s), receipt(s), ENERGY STAR checklists, and required documentation within 90 days of installation.

Mail completed forms to:

ENERGY EFFICIENCY PROGRAMS
Alliant Energy
P.O. Box 351
Cedar Rapids, IA 52406-0351

FAX: (319) 786-4746

Please choose one option.
To avoid delays, do not fax and mail your form.

Please allow six to eight weeks for your rebate on a prepaid Visa® card, after Alliant Energy receives your properly completed rebate claim form, receipts and any other required materials.

Questions? Call 1-866-ALLIANT (1-866-255-4268) or visit us online at *alliantenergy.com.*

Go to Page 4

ALLIANT ENERGY

ENERGY STAR QUALIFIED NEW HOME HERS RATER INSPECTION FORM

Energy Star Qualified New Home *(Must Satisfy All Requirements)*			
Equipment	**Requirement**	**Installation Information**	**Comments**
Ductwork	6% or less duct leakage unconditioned spaces	❒ Yes Tested Leakage _____%	
Insulation			
Ceiling	R-49	_____ R-Value	
Wood frame wall	R-20 or R-13+5	_____ R-Value	
Mass frame wall	R-15 continuous/R-19 cavity	_____ R-Value _____ R-Value (cavity)	
Floor, above unheated space	R-30 in contact w/subfloor	_____ R-Value	
Basement wall (entire)	R-15 continuous/R-19 cavity	_____ R-Value _____ R-Value (cavity)	
Rim joist	R-19 (insulated and blocked)	_____ R-Value ❒ Insulated and blocked	
Slab	R-10 under edge next to slab edge - 4 feet down	_____ R-Value	
Crawl space	R-10 continuous/R-13 cavity	_____ R-Value _____ R-Value (cavity)	
Thermally isolated sunroom (if applicable)	Minimum R-24 in ceilings/ Minimum R-13 in side walls	_____ R-Value (ceilings) _____ R-Value (walls)	
Windows and Doors			
Windows (must have NFRC window stickers)	• U-Factor 0.30 or less • 18% or less of conditioned floor area	_____ U-Value ❒ 18% or less conditioned floor area	Make _____ Model _____
Skylights (if applicable)	U-Factor 0.60 or less	_____ U-Value	Make _____ Model _____
Doors	R-5	_____ R-Value	
Attic doors and hatches (from conditioned to unconditioned spaces)	• Weather-stripped and insulated to equivalent of surrounding surfaces • Must have a barrier around to prevent spilling.		
Heating	**Manual J required**	❒ Manual J completed	
Infiltration	7 ACH	_____ ACH	
Mechanical ventilation	Shall have dampers	❒ Dampers	
Natural gas, forced air furnaces	92% AFUE or better	_____ AFUE	
Natural gas, boilers	90% AFUE or better	_____ AFUE	
Electric, forced-air, air source heat pumps	8.5 HSPF or better	_____ HSPF	
Electric, ground source heat pumps (closed loop)	3.3 COP Water-to-Air 3.1 COP Water-to-Water	Enter details next page	
Electric, ground source heat pumps (open loop)	3.6 COP	Enter details next page	
Clock-programmable thermostat	Set back with 2 or more temperature settings - down to a minimum of 55 degrees F and up to 85 degrees F for each HVAC system.	❒ Clock-programmable thermostat installed	

Go to Page 5

Energy Star Qualified New Home *(Must Satisfy All Requirements) (Cont.)*			
Equipment	**Requirement**	**Installation Information**	**Comments**
Heating equipment details		Make _____ Model no. _____ Serial no. _____	
Cooling	**Manual J required**	❒ Manual J completed	
Electric, forced-air, central air conditioners	14.5 EER or better	_____ SEER	
Electric, forced-air, air source heat pumps	14.5 SEER or better	_____ SEER	
Electric, ground source heat pumps (closed loop)	14.1 EER or better	Enter details next page	
Electric, ground source heat pumps (open loop)	16.2 EER or better	Enter details next page	
Cooling equipment details	Cooling BTUH _____ AHRI no. _____	Condenser model no. _____ Condenser serial no. _____ Coil model no. _____ Coil serial no. _____	
Water Heaters			
Natural gas, up to 60 gallons	0.67 EF or greater	_____ EF	
Natural gas, 60-80 gallons	0.85 EF or greater	_____ EF	
Natural gas, tankless	0.80 EF or greater	_____ EF	
Natural gas, condensing	90% TE or greater	_____ TE	
Electric	0.93 EF or greater	_____ EF	
Electric heat pump 40 gallons	ENERGY STAR qualified		
Circulation hot water system	Hot water piping shall be insulated to a minimum of R-2 and have an automatic manual switch to turn off the pump when the system is not in use.		
Water Heater Equipment Details		Make _____ Model no. _____ Serial no. _____	
Lighting			
Recessed lighting	• Shall be sealed and IC rated • Labeled to meet ASTM 283	❒ Sealed & IC rated ❒ Labeled to meet ASTM 283	
High-efficiency lamps	Minimum 50% of lamps in permanently installed lighting fixtures shall be high-efficiency (i.e. CFLs, LEDs)	❒ 50% lamps in permanently installed light fixtures are high efficiency	
Fireplaces			
Fireplaces	Wood-burning fireplaces shall have gasketed doors and outdoor combustion air.	❒ Gasketed doors ❒ Outdoor combustion air	

Go to Page 1