



ALLIANT ENERGY BUILDER OPTION PACKAGE (BOP) NEW HOME - MINNESOTA 2012 REBATE CLAIM FORM

INSTRUCTIONS: Fill out form completely and sign. Attach supporting documentation: receipts, ENERGY STAR® logos, UPC codes, etc. Failure to complete the form and provide documentation could result in claim being sent back or denied. Mail completed forms to: Energy Efficiency Programs, Alliant Energy, P.O. Box 351, Cedar Rapids, IA 52406-0351.

Alliant Energy is the trade name of Interstate Power and Light Company (IPL). The utility providing the rebates is Interstate Power and Light Company (IPL), an Alliant Energy company, hereinafter referred to as Alliant Energy.

Questions about the forms or need assistance with the forms? Call our Energy Efficiency Hotline at 1-866-ALLIANT (1-866-255-4268).

CUSTOMER INFORMATION				
Person or Company Receiving Rebate			Mailing Address (if different than installation address)	
Installation Address			City	State
City	State	Zip	Name on Alliant Energy Account/Contact Person	
Alliant Energy Account No. at Installation Address (if available)			Email address (optional)	
Residential Building Type <input type="checkbox"/> Single-Family <input type="checkbox"/> Duplex			Year House/Facility Built (required)	Phone No. ()
Tax Status <input type="checkbox"/> Residential <input type="checkbox"/> Sole-Proprietor* <input type="checkbox"/> Partnership* <input type="checkbox"/> Government <input type="checkbox"/> Non-Profit <input type="checkbox"/> Corporation <input type="checkbox"/> Religious				
*If sole-proprietor or partnership, you must provide a copy of your W-9 showing the Social Security or Federal Tax ID number and the associated legal name listed on the document. You must provide a copy of your W-9 each time you submit a claim.				

CONSTRUCTION INFORMATION		
Construction Start Date (copy of the building permit must be attached to this rebate submission)	Construction Completion Date	Square Footage (Conditioned Space)

PRORATED REBATE AMOUNTS				
SQ. FOOTAGE	HEATING & COOLING	HEATING	COOLING	GEOHERMAL
1,800+	\$2,000	\$1,400	\$600	\$1,000
1,799 - 1,200	\$1,800	\$1,260	\$540	\$ 900
1,199 - 700	\$1,600	\$1,120	\$480	\$ 800

GEOHERMAL INFORMATION (systems ≤ 15 ton total size)				
(Water-to-water units MUST provide heating and cooling.)				
(Applicable geothermal systems MUST be claimed on this claim form.)				
(To qualify for a rebate, equipment MUST be listed in AHRI Directory.)				
Date Installed	<input type="checkbox"/> Single Speed <input type="checkbox"/> Variable Speed	Water-to-Water unit? <input type="checkbox"/> Yes <input type="checkbox"/> No	Manufacturer	
Model No.	<input type="checkbox"/> Open Loop (GWHP) <input type="checkbox"/> Closed Loop (GLHP)	Ground Loop <input type="checkbox"/> New <input type="checkbox"/> Existing	Serial No.	
Total Cooling Btuh (maximum 180,000)	Total Heating Btuh			
Partial Cooling Btuh (if two speed)	Partial Heating Btuh (if two speed)			
Cooling EER	Heating COP	Equipment Cost \$	Desuperheater (\$100 per unit) <input type="checkbox"/> Yes <input type="checkbox"/> No	
Quantity	AHRI No.	Total Rebate (see table below) \$		

REBATE TOTALS		PAID TO:	
Base Rebate	\$	<input type="checkbox"/> Homeowner	or <input type="checkbox"/> Builder
Geothermal Rebate	\$	<input type="checkbox"/> Homeowner	or <input type="checkbox"/> Builder
TOTAL REBATE	\$	<input type="checkbox"/> Homeowner	or <input type="checkbox"/> Builder

Water-to-Air Rebate Table

Qualifications:

All units must equal or exceed efficiency rating of 14.1 EER and COP 3.3 (closed loop) or 16.2 EER and COP 3.6 (open loop). **Rebate payment will be based on AHRI directory-verified efficiency.** Maximum of 15 tons total system size. Larger units please call 1-866-255-4268 for more information.

Step 1 .	Cooling Btuh/12,000 = _____ tons x \$300*	= \$ _____
Step 2 .	Closed loop rebate [(EER - 14.1) x \$50 x tons] or Open loop rebate [(EER - 16.2) x \$50 x tons]	= + \$ _____
Step 3 .	Add \$100 if desuperheater installed	= + \$ _____
TOTAL REBATE		= \$ _____

Water-to-Water Rebate Table

Qualifications:

All units must equal or exceed efficiency rating of 14.1 EER and COP 3.1– (closed loop). **Rebate payment will be based on AHRI directory-verified efficiency.** Maximum of 15 tons total system size. Larger units please call 1-866-255-4268 for more information.

Step 1 .	Cooling Btuh/12,000 = _____ tons x \$300*	= \$ _____
Step 2 .	Closed loop rebate [(EER - 14.1) x \$50 x tons]	= + \$ _____
Step 3 .	Add \$100 if desuperheater installed	= + \$ _____
TOTAL REBATE		= \$ _____

*Not available for existing ground loop.

SPECIFIC TERMS AND CONDITIONS

- A. If the builder or the homeowner is to receive the entire rebate amount, their information should be listed as the Person or Company Receiving Rebate. If the builder is an Energy Efficiency Dealer, the mailing address for the rebate must match their Energy Efficiency Dealer address.
- B. Rebates and/or bonus options may be designated to both a homeowner and a builder if, the builder is a Energy Efficiency Dealer. If both parties are to be paid portions on the rebate, then the homeowner should be listed as the Person or Company Receiving rebate and the Builder's information should be entered on the Builder Release along with their Dealer ID number. The rebates going to the homeowner and the builder should be indicated accordingly.
- C. The home's square footage should not include the basement unless the basement is finished space.
- D. Participants must be residential (single-family or duplex) customers of Alliant Energy in Minnesota.
- E. A federal tax ID number or social security number is required for processing any rebate, except if the tax status of recipient is residential. Under Builder Release, a federal tax ID number or social security number is required for processing any rebate unless the builder is already a Energy Efficiency Dealer and has supplied their Dealer ID.
- F. All Builder Option Package (BOP) requirements must be completed in order to qualify for the BOP rebate. The type of Insulation, Windows, Lighting, and Heating and Cooling equipment used in the home must be indicated and must satisfy base requirements.
- G. New home equipment eligible for the New Home Construction rebate must be installed, reported on the New Home Construction rebate claim form and submitted one time only. Alliant Energy will not pay rebates for new home equipment submitted on other Alliant Energy rebate claim forms.
- H. Mechanical ventilation is recommended in conjunction with energy recovery. Heat Recovery Ventilator (HRV) is recommended if using mechanical ventilation. Alliant Energy reserves the right to perform a blower door test during verification, and deny any rebates if specified infiltration rate is not met.
- I. All low-pressure supply and return ducts must be sealed using solvent or water-based mastic or approved foiled-back tape installed in accordance with the manufacturer's instructions. Duct tape, 3M or Tyvek is not permitted.
- J. All manufacturer, model number and serial number fields must be completed for Alliant Energy to approve the BOP rebate.
- K. Alliant Energy will pay for a maximum of one heating and/or cooling unit under the New Home Construction program. If multiple heating and/or cooling units are installed, Alliant Energy will pay for the first qualifying unit under the New Home Construction program and any additional qualifying units under the respective prescriptive program.
- L. Final verification will be completed by an Alliant Energy representative prior to rebate payment.
- M. This program is effective January 1, 2012 through December 31, 2012 for any homes started during this time period.
- N. Rebate Claim Forms must be submitted within 90 days of home's completion date.
- O. All buildings must be completed within three years to be eligible for a rebate. The rebate is paid per the program requirements and rebate rates available when construction is started.

REMEMBER TO SIGN ON THE NEXT PAGE

Additional information continued 

ECRM853443 REV. 1 04/12

GENERAL TERMS AND CONDITIONS

IMPORTANT: Before completing and signing the form, please read the General Terms and Conditions located in the rebate booklets, or at alliantenergy.com/terms.

RISK OF LOSS, INDEMNITY AND DISCLAIMER

WHEREAS, while Alliant Energy may have entered into a Dealer Participation Agreement with Dealer on the reverse side of this document, any transaction for the purchase and/or installation of equipment pursuant to this rebate claim is between the Participating Dealer and the Customer identified on the reverse side of this document. As a signatory to this document, you understand that Alliant Energy is not a party to such transaction and neither the Participating Dealer nor the Customer shall have any recourse to Alliant Energy related to such transaction.

NOW, THEREFORE, for good and valuable consideration, which is hereby acknowledged, by your signature you agree as follows:

- RISK OF LOSS; INDEMNITY.** Customer and Dealer hereby agree to assume all risk of loss associated with the equipment and to defend, indemnify and hold harmless Alliant Energy, its agents, officers, directors, employees and assigns, and to release same from any and all liabilities, claims, demands, actions and causes of action whatsoever arising out of or related to any loss, damage or injury, including death, injury to persons or property, that may be sustained by Customer, Dealer or a third party in connection with the installation, use or possession of the equipment or performance of the services, or relating in any way to the Dealer Participation Agreement or any rebate claim.
- DISCLAIMER.** Customer acknowledges, warrants and agrees that the services, materials and equipment have been provided by a third party, are suitable for its purposes and meet the criteria for a rebate hereunder. Any warranty on the equipment or services shall be provided through the equipment manufacturer or supplier or service provider. *Customer specifically acknowledges that Alliant Energy makes no representations or warranties of any kind, express or implied, as to the merchantability, fitness for a particular purpose, design or condition of the equipment or services.* The sum total liability of Alliant Energy to Customer and Dealer with respect to any claim or liability arising out of or related to this rebate claim, whether in contract, tort (including negligence), or other legal theory shall not exceed the amount of the rebate. Alliant Energy shall not in any event be liable for special, indirect, incidental or consequential damages, including but not limited to, loss of profits or revenue, loss of use of site systems or property, lack of savings, cost of capital, or claims by Customer or Dealer for damage to property or injury to persons including any third party.
- Customer and Dealer further acknowledge that Alliant Energy will not provide insurance coverage for the Customer or Dealer, and that it is the Customer and Dealer's responsibility to procure insurance coverage against any hazards relating to the equipment to protect persons and property.

CUSTOMER SIGNATURE AND CERTIFICATION

I certify that I have purchased the equipment described in this form and that it has been installed at the service address indicated. I agree to the terms and conditions associated with this form.

Customer Signature

Date

Do you want to help local families in need and donate your rebate to Alliant Energy's *Hometown Care Energy Fund*? Yes No

BUILDER INFORMATION

Builder Name

Dealer ID (if applicable)

Phone No.

()

Address

City

State

ZIP

I certify that all equipment and installation information provided on this application is correct and accurate.

Dealer/Contractor Signature: _____ Date: _____

Before you turn in your form, remember to:

- Fill out the form completely.
- Sign the customer Signature and Certification section. If a dealer installed the equipment, the dealer must sign the Builder section.
- We recommend that you mail the completed forms, receipts, ENERGY STAR logos or other documentation within 90 days of installation.

Mail completed forms to:

ENERGY EFFICIENCY PROGRAMS
Alliant Energy
P.O. Box 351
Cedar Rapids, IA 52406-0351

FAX: (319) 786-4746

Please choose one option.
To avoid duplication or processing errors, do not fax and mail your form.

Please allow six to eight weeks for your rebate, after Alliant Energy receives your properly completed rebate claim form, receipts and any other required materials.

Questions? Call 1-866-ALLIANT (1-866-255-4268) or visit us online at alliantenergy.com.

BUILDER OPTION PACKAGE (BOP) (Must Satisfy All Requirements)			
Equipment	Requirement	Installation Information	Comments
Ductwork	6% or less duct leakage unconditioned spaces	<input type="checkbox"/> Yes Tested Leakage _____%	
Insulation			
Ceiling	R-49	_____ R-Value	
Wood frame wall	R-20 or R-13+5	_____ R-Value	
Mass frame wall	R-15 continuous/R-19 cavity	_____ R-Value _____ R-Value (cavity)	
Floor, above unheated space	R-30 in contact w/subfloor	_____ R-Value	
Basement wall (entire)	R-15 continuous/R-19 cavity	_____ R-Value _____ R-Value (cavity)	
Rim joist	R-19 (insulated and blocked)	_____ R-Value <input type="checkbox"/> Insulated and blocked	
Slab	R-10 under edge next to slab edge - 4 feet down	_____ R-Value	
Crawl space	R-10 continuous/R-13 cavity	_____ R-Value _____ R-Value (cavity)	
Thermally isolated sunroom (if applicable)	Minimum R-24 in ceilings/ Minimum R-13 in side walls	_____ R-Value (ceilings) _____ R-Value (walls)	
Windows and Doors			
Windows (must have NFRC window stickers)	<ul style="list-style-type: none"> • U-Factor 0.30 or less • 18% or less of conditioned floor area 	_____ U-Value <input type="checkbox"/> 18% or less conditioned floor area	Make _____ Model _____
Skylights (if applicable)	U-Factor 0.60 or less	_____ U-Value	Make _____ Model _____
Doors	R-5	_____ R-Value	
Attic doors and hatches (from conditioned to unconditioned spaces)	<ul style="list-style-type: none"> • Weather-stripped and insulated to equivalent of surrounding surfaces • Must have a barrier around to prevent spilling. 		
Heating			
	Manual J required	<input type="checkbox"/> Manual J completed	
Infiltration	7 ACH	_____ ACH	
Mechanical ventilation	Shall have dampers	<input type="checkbox"/> Dampers	
Natural gas, forced air furnaces	92% AFUE or better	_____ AFUE	
Natural gas, boilers	90% AFUE or better	_____ AFUE	
Electric, forced-air, air source heat pumps	8.5 HSPF or better	_____ HSPF	
Electric, ground source heat pumps (closed loop)	3.3 COP Water-to-Air 3.1 COP Water-to-Water	Enter details next page	
Electric, ground source heat pumps (open loop)	3.6 COP	Enter details next page	
Clock-programmable thermostat	Set back with 2 or more temperature settings - down to a minimum of 55 degrees F and up to 85 degrees F for each HVAC system.	<input type="checkbox"/> Clock-programmable thermostat installed	

BUILDER OPTION PACKAGE (BOP) (Must Satisfy All Requirements) (Cont.)

Equipment	Requirement	Installation Information	Comments
Heating equipment details		Make _____ Model no. _____ Serial no. _____	
Cooling	Manual J required	<input type="checkbox"/> Manual J completed	
Electric, forced-air, central air conditioners	14.5 EER or better	_____ SEER	
Electric, forced-air, air source heat pumps	14.5 SEER or better	_____ SEER	
Electric, ground source heat pumps (closed loop)	14.1 EER or better	Enter details next page	
Electric, ground source heat pumps (open loop)	16.2 EER or better	Enter details next page	
Cooling equipment details	Cooling BTUH _____ AHR no. _____	Condenser model no. _____ Condenser serial no. _____ Coil model no. _____ Coil serial no. _____	
Water Heaters			
Natural gas, 40-59 gallons	0.67 EF or greater	_____ EF	
Natural gas, 60-80 gallons	0.85 EF or greater	_____ EF	
Natural gas, tankless	0.80 EF or greater	_____ EF	
Natural gas, condensing	90% TE or greater	_____ TE	
Electric, 40 gallons or greater	0.93 EF or greater	_____ EF	
Electric heat pump 40 gallons	ENERGY STAR qualified		
Circulation hot water system	Hot water piping shall be insulated to a minimum of R-2 and have an automatic manual switch to turn off the pump when the system is not in use.		
Water Heater Equipment Details		Make _____ Model no. _____ Serial no. _____	
Lighting			
Recessed lighting	<ul style="list-style-type: none"> • Shall be sealed and IC rated • Labeled to meet ASTM 283 	<input type="checkbox"/> Sealed & IC rated <input type="checkbox"/> Labeled to meet ASTM 283	
High-efficiency lamps	Minimum 50% of lamps in permanently installed lighting fixtures shall be high-efficiency (i.e. CFLs, LEDs)	<input type="checkbox"/> 50% lamps in permanently installed light fixtures are high efficiency	
Fireplaces			
Fireplaces	Wood-burning fireplaces shall have gasketed doors and outdoor combustion air.	<input type="checkbox"/> Gasketed doors <input type="checkbox"/> Outdoor combustion air	